

MyProcedure Rooms Level 1, Building 1 (opposite central ward) St Andrew's Toowoomba Hospital 280 North Street, Rockville Toowoomba QLD 4350 Email: Admin@myprocedure.com.au Telephone 07 4646 2593 Facsimile 07 4646 2594

Referral Form

Name of Patient/ID or sticker:	
DOB:	
Date of referral:	
Proposed surgery:	
Date of surgery (if high risk please consider	not booking for surgery):
Anaesthetist:	
VMO consulting out of MyProcedure you ar	e referring to:
	summary/referral via Medical Objects or email rocedure.com.au)
	give patient a form for a FBC, U+E, LFT's. If on lease add TFT's.
Please encourage your patien https://sath.e	t patient to fill in their eadmission - admissions.org.au/ m to attend MyProcedure rooms)
Referrers details:	
Name:	Phone:
Email:	
Provider Number:	VMO Signature:

The below patient and surgical factors are associated with elevated perioperative risk

Please consider referring highest risk patients <u>prior</u> to booking surgery

Patient Factors	 Surgical Factors
Metastatic cancer	 Palliative surgical procedure
BMI > 50	Ortho – fracture neck of femur surgery, joint
	replacement +/- revisions, major spines (multi-
	level)
Severe COPD or respiratory disease	General – large ventral hernia, open
	abdominal surgery
Frailty	Colorectal – colectomy, open abdominal
	emergency laparotomy
Recent history of falls	Thoracic surgery
Neuro-degenerative disease	Vascular surgery on arterial disease (open)
(Parkinson's disease, motor neuron	
disease)	
History of CVAs and TIAs	Upper GI – liver resection
Valvular heart disease, ischaemic	ENT – oro-pharyngeal cancer surgery, neck
heart disease and congestive heart	dissection, free flap surgery
failure.	
Post-transplant patient including	Maxillofacial – cancer surgery
bone marrow transplantation	
Patients on complex anti-	Gynae – hysterectomy, pelvic clearance, onco-
coagulation or anti-platelet agents	gynaecological surgery
Implanted devices (pacemakers,	Urology – open/robotic prostatectomy,
defibrillators, spinal cord or deep	reconstruction, cystectomy, nephrectomy
brain stimulator)	
Previous episode of delirium	Other surgical operation:
Pre-operative chemo/radiotherapy	
Greater than 3 long term medical	
conditions	
Previous DVT/PE or Pulmonary	
hypertension	
Diabetes	
Severe liver disease	
Chronic kidney disease or on	
dialysis	
Chronic pain history	
Significant anaesthetic issues	
(airway difficulties, malignant	
hyperthermia, limited mouth	
opening or neck movement,	
bleomycin use)	
Sleep apnoea	
Dementia or cognitive dysfunction	
Atrial fibrillation	
Immunosuppression including	
HIV/AIDS	
Serious mental illness	
Other:	
 <u> </u>	<u> </u>